

---

**gloria<sub>soria</sub>ddRAD<sub>2</sub>015**

***Release 1.0.1***

October 06, 2016



<b>1 Overview</b>	<b>3</b>
1.1 gloria_soria_ddRAD_2015 . . . . .	3
<b>2 Installation</b>	<b>5</b>
<b>3 Usage</b>	<b>7</b>
<b>4 Reference</b>	<b>9</b>
4.1 gs_ddRAD2015 . . . . .	9
<b>5 Contributing</b>	<b>11</b>
5.1 Bug reports . . . . .	11
5.2 Documentation improvements . . . . .	11
5.3 Feature requests and feedback . . . . .	11
5.4 Development . . . . .	11
<b>6 Authors</b>	<b>13</b>
<b>7 Changelog</b>	<b>15</b>
7.1 0.1.0 (2015-02-04) . . . . .	15
<b>8 Indices and tables</b>	<b>17</b>
<b>Python Module Index</b>	<b>19</b>



Contents:



## Overview

---

### 1.1 gloria\_soria\_ddRAD\_2015

Code supporting the Gloria-Soria et al 2015 paper on tsetse population genomics using ddRAD seq.

- Free software: BSD license

#### 1.1.1 Installation

```
pip install git+https://github.com/CacconeLabYale/gloria_soria_ddRAD_2015.git
```

#### 1.1.2 Documentation

[https://gloria\\_soria\\_ddRAD\\_2015.readthedocs.org/](https://gloria_soria_ddRAD_2015.readthedocs.org/)



## **Installation**

---

At the command line:

```
pip install git+https://github.com/CaccioneLabYale/gloria_soria_ddRAD_2015.git
```



### Usage

---

To use gloria\_soria\_ddRAD\_2015 in a project:

```
import gs_ddRAD2015
```

To use gloria\_soria\_ddRAD\_2015 from the command line:

```
$ gs_ddRAD2015 --help
```

This will yield the help text:

```
$ gs_ddRAD2015 --help
Usage: gs_ddRAD2015 [OPTIONS] COMMAND [ARGS]...

Command interface to the paper's LD analysis.

For command specific help text, call the specific command followed by the
--help option.

Options:
  --config FILENAME  Path to optional config.yaml
  --help             Show this message and exit.

Commands:
  ld_figures        Generates LD figures.
  process_ld_data   Performs the LD analysis.
```



---

**Reference**

---

**4.1 gs\_ddRAD2015**



---

## Contributing

---

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given.

### 5.1 Bug reports

When reporting a bug please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

### 5.2 Documentation improvements

`gloria_soria_ddRAD_2015` could always use more documentation, whether as part of the official `gloria_soria_ddRAD_2015` docs, in docstrings, or even on the web in blog posts, articles, and such.

### 5.3 Feature requests and feedback

The best way to send feedback is to file an issue at [https://github.com/CacconeLabYale/gloria\\_soria\\_ddRAD\\_2015/issues](https://github.com/CacconeLabYale/gloria_soria_ddRAD_2015/issues).

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

### 5.4 Development

To set up `gloria_soria_ddRAD_2015` for local development:

1. Fork `gloria_soria_ddRAD_2015` on GitHub.
2. Clone your fork locally:

```
git clone git@github.com:your_name_here/gloria_soria_ddRAD_2015.git
```

3. Create a branch for local development:

```
git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

4. When you're done making changes, run all the checks, doc builder and spell checker with `tox` one command:

```
tox
```

5. Commit your changes and push your branch to GitHub:

```
git add .  
git commit -m "Your detailed description of your changes."  
git push origin name-of-your-bugfix-or-feature
```

6. Submit a pull request through the GitHub website.

### 5.4.1 Pull Request Guidelines

If you need some code review or feedback while you're developing the code just make the pull request.

For merging, you should:

1. Include passing tests (run `tox`) <sup>1</sup>.
2. Update documentation when there's new API, functionality etc.
3. Add a note to `CHANGELOG.rst` about the changes.
4. Add yourself to `AUTHORS.rst`.

### 5.4.2 Tips

To run a subset of tests:

```
tox -e envname -- py.test -k test_myfeature
```

To run all the test environments in *parallel* (you need to `pip install detox`):

```
detox
```

---

<sup>1</sup> If you don't have all the necessary python versions available locally you can rely on Travis - it will [run the tests](#) for each change you add in the pull request.

It will be slower though ...

## **Authors**

---

- Gus Dunn - <https://github.com/CacconeLabYale>



## Changelog

---

### 7.1 0.1.0 (2015-02-04)

- First release on PyPI.



## **Indices and tables**

---

- genindex
- modindex
- search



**g**

gs\_ddRAD2015, [9](#)



## G

gs\_ddRAD2015 (module), 9